



Customer information packet 111

20C 2P BUFFER

Part detail

Revision	L
Type	AC
Mech. spec.	G7-0429
Base	
Status	PRD/A
Elec. spec.	G7WG0030
Layout	G7LY0429
Eff. date	06-23-2023
CD Diagram	CD0279
Poles	02
Leads	4#18
Proprietary	False
Created date	08-06-2018

Nameplate

NP3352L			
CAT.NO.	111		
HP	.33	VOLTS	115
PHASE	1	AMPS	4.2
HZ	60	RPM	3600
SER.NO			
SPEC.	G7-0429-0030G1		
BLANK			

Parts list



Part number	Description	Quantity
SA359418	SA G7-0429-0030G1	1.000 ea
RA348508	RA G7-0429-0030G1	1.000 ea
OC3006F12	CYL OIL CAP 6MFD/370V	1.000 ea
G7BA3000	G7-286 BASE DIE CAST	1.000 ea
WD4102A01	SR-6L-1 HEYCO STRN RELIEF OR 23MPO6L10 M	1.000 ea
WD1000A16	2-520128-2 AMP FLAG TERMINAL(4M/RL)	4.000 ea
11XW1032G06	10-32 X .38, TAPTITE II, HEX WSHR SLTD U	1.000 ea
HW3001B02	BRASS CUP WASHER W/GROUND SYMBOL TAB,	1.000 ea
SP9000SP	80600BJ A-H OR 1520237-2 TYCO;2PST,125/2	1.000 ea
HW1003A50	LOCKWASHER,1/2",EXT.TOOTHZINC PLATED	1.000 ea
G7CB4500	BASE COVER PLATE 7" GRINDER	1.000 ea
51XW1032A06	10-32 X .38, TAPTITE II, HEX WSHR SLTD S	2.000 ea
RM1005A01SP	BUMPER- #2089 (R-R CO)	4.000 ea
G7EP3900A04	ENDPLATE, MACH	1.000 ea
HW5100A03	WAVY WASHER (W1543-017)	2.000 ea
G7EP3900A04	ENDPLATE, MACH	1.000 ea
XY1032A02	10-32 HEX NUT DIRECTIONAL SERRATION	4.000 ea
HA6050A02SP	FLANGE, WHEEL, MACH	2.000 ea
HA6050A02SP	FLANGE, WHEEL, MACH	2.000 ea
HW3021C04	SPRG PIN 3/32 DIA .375LGH DRIV-LOK	1.000 ea
HW3021C04	SPRG PIN 3/32 DIA .375LGH DRIV-LOK	1.000 ea
XY5020A12SP	1/2-20 NUT R.H. HEX (NF)	1.000 ea
XY5020A62SP	1/2-20 NUT L.H. HEX (NF)X	1.000 ea
RM1010A17	VINYL CAP .812-16 701-89 BLACK	1.000 ea
51XN1032A07	10-32 X 0.438 HX WS SL SR ZN	2.000 ea
RM1010A17	VINYL CAP .812-16 701-89 BLACK	1.000 ea
XY1032A02	10-32 HEX NUT DIRECTIONAL SERRATION	2.000 ea
HA3100A29	THRUBOLT 10-32 X 7.00	4.000 ea
HA3205A50	U550-N SWITCH NUT/CARLING	1.000 ea
LD5001A11	6' cord w/115V plug 18-3 105C 300V B W G	1.000 ea
WD4006C05	ORANGE, WIRENUT, G-B #13-003 ORGSIZE 73B	2.000 ea

HA6053A01ZP	CLAMP, CAPACITOR 2" DIA, WHITE ZINC PLAT	1.000 ea
MG1000G01	MUNSELL 5.93PB 3.81/ 2.71	0.014 ga
85XU0407S04	4X1/4 U DRIVE PIN STAINLESS	2.000 ea
LB1009N	LABEL,ROTATION DIRECTION (ON ROLLS)	1.000 ea
LB1091	LABEL, WARNING BUFFERS	1.000 ea
MN906	Baldor Buffer 6/13	1.000 ea
LB1624	COMBINED WARNING LABEL, ISO/ANSI PICTOGR	1.000 ea
LC0279A01	1PH, DV, FIX, GRINDER, CONN FOR LV	1.000 ea
NP3352L	ALUM NAMEPLATE - BALDOR BUFFER NO LOGOS	1.000 ea
G7PA1014	PKG GRP, BLANK PK1034	1.000 ea
LB1618	PROPOSITION 65 WARNING LABEL 1-1/2 X 1/2	1.000 ea

Accessories

Part number	Description	Multiplier
GA16E	PEDESTAL LIGHT INDUSTRIAL,STEEL	A8
GA16	PEDESTAL INDUSTRIAL, CAST IRON 6" - 10"	A8
GA14	PEDESTAL FABRICATED STEEL W/SHELVES	A8
A65	6" COTTON BUFFING WHEEL 1/2" BORE	A8
BQ1-015-CC	1PH Brake, NEMA 1,110-125 VAC, 50/60Hz	
BQ1-015-CP	1PH Brake, Panel 110-125 VAC, 50/60 Hz	

G7LY0429



CUSTOMER IS RESPONSIBLE FOR DETERMINING THAT BALDOR'S PRODUCT WILL PERFORM SUITABLY IN THE INTENDED APPLICATION.


REV. DESC: NEW	VERSION: 00	TDR: 000001079698
REV. LTR: -	REVISED: 04:31:41 08/06/2018	BY: ENMARH0
FILE: \AAA\00244\395		
MTL: -		

BALDOR - RELIANCE®

BUFFER 7" TYPE "C" - 115V W/SHAFT EXT FROM G6-209 (.50 DIA)

SH 1 of 1

G7LY0429



NOTES:

1. CONNECTIONS ARE SHOWN FOR CW ROTATION FACING END OPPOSITE SHAFT EXTENSION (OPP STD). FOR CCW ROTATION, INTERCHANGE (5) AND (8) INTERNALLY.

2. LEAD COLORS ARE OPTIONAL. LEADS MUST ALWAYS BE NUMBERED AS SHOWN.

REV. DESC: ADDED ANTI-ROTATION DETAIL TO RH SIDE OF SWITCH

REV. LTR: E

VERSION: 01

TDR: 000000863536

FILE: \AAA\00028\193

REVISED: 09:52:27 07/23/2014

BY: ENCHALO

MTL: —

BALDOR

TYPE C, DV, FIX, OPT. LIGHTED EYESHIELD, GRINDER

SH 1 of 1

CD0279